



# Safety Data Sheet

Cat. # 786-701

SDS-PAGE Sample Loading Buffer [6X]

Size: 25ml





# SDS-PAGE Sample Loading Buffer [6X]

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 08/22/2014

Revision date: 05/11/2017

Version: 7.1

### SECTION 1: Identification

#### 1.1. Identification

Product form : Mixture  
Product name : SDS-PAGE Sample Loading Buffer [6X]  
Product code : 093S

#### 1.2. Recommended use and restrictions on use

No additional information available

#### 1.3. Supplier

Geno Technology, Inc./ G-Biosciences  
9800 Page Avenue  
Saint Louis, 63132-1429 - United States  
T 800-628-7730 - F 314-991-1504  
[technical@GBiosciences.com](mailto:technical@GBiosciences.com) - [www.GBiosciences.com](http://www.GBiosciences.com)

#### 1.4. Emergency telephone number

Emergency number : Chemtrec **1-800-424-9300** (USA/Canada), **+1-703-527-3887** (Intl)

### SECTION 2: Hazard(s) identification

#### 2.1. Classification of the substance or mixture

##### GHS US classification

Skin corrosion/irritation Category 2 H315 Causes skin irritation  
Serious eye damage/eye irritation Category 2 H319 Causes serious eye irritation

Full text of H statements : see section 16

#### 2.2. GHS Label elements, including precautionary statements

##### GHS US labeling

Hazard pictograms (GHS US) :



Signal word (GHS US) :

Warning

Hazard statements (GHS US) :

H315 - Causes skin irritation  
H319 - Causes serious eye irritation

Precautionary statements (GHS US) :

P264 - Wash hands, forearms and face thoroughly after handling.  
P280 - Wear protective gloves/protective clothing/eye protection/face protection.  
P302+P352 - If on skin: Wash with plenty of water  
P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
P321 - Specific treatment (see supplemental first aid instruction on this label)  
P332+P313 - If skin irritation occurs: Get medical advice/attention.  
P337+P313 - If eye irritation persists: Get medical advice/attention.  
P362+P364 - Take off contaminated clothing and wash it before reuse.

#### 2.3. Other hazards which do not result in classification

No additional information available

#### 2.4. Unknown acute toxicity (GHS US)

Not applicable

### SECTION 3: Composition/Information on ingredients

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

# SDS-PAGE Sample Loading Buffer [6X]

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Common Name (Synonyms)	Product identifier	%	GHS US classification
------	------------------------	--------------------	---	-----------------------

# SDS-PAGE Sample Loading Buffer [6X]

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Common Name (Synonyms)	Product identifier	%	GHS US classification
sodium dodecyl sulphate	AI3-00356 / akypoal SDS / aquarex ME / aquarex methyl / aviro1 101 / aviro1 118 conc / berol 452 / carsonol SLS / carsonol SLS paste B / carsonol SLS special / casonol SLS pasta B / conco sulfate WA / conco sulfate WA1200 / conco sulfate WA-1200 / conco sulfate WA1245 / conco sulfate WA-1295 / conco sulfate WAG / conco sulfate WAN / conco sulfate WAS / conco sulfate WN / cycloryl 21 / cycloryl 31 / cycloryl 580 / cycloryl 585N / dehydag sulfate GL emulsion / dehydag sulphate GL emulsion / detergent 66 / dodecyl alcohol,hydrogen sulfate, sodium salt / dodecyl sodium sulfate / dodecyl sulfate sodium / dodecyl sulfate sodium salt / dodecylhydrogensulfate sodium salt / dreft / duponal / duponal WAQE / duponal / duponal C / duponal ME / duponal METHYL / duponal QX / duponal WA / duponal WA dry / duponal WAQ / duponal WAQA / duponal WAQE / duponal WAQM / EMAL 0 / EMAL 10 / emersal 6400 / empicol LPZ / empicol LS 30 / empicol LX / emulsifier n° 104 / finasol osr(sub 2) / gaedinel / hexamol SLS / incronol SLS / irium / jordanol SL-300 / lanette wax S / lauryl sodium sulfate / lauryl sulfate sodium / lauryl sulfate sodium salt / maprobix neu / maprofix 563 / maprofix LK / maprofix WAC / maprofix wac LA / melanol CL / melanol CL 30 / monododecyl sodium sulfate / monogen Y 100 / montopol la paste / n-dodecyl sulfate sodium / neutrazyme / nikkol SLS / odoripon AL 95 / orvus WA paste / P and G emulsifier 104 / perklankrol ESD 60 / perlandrol L / perlankrol L / product n° 161 / product n° 75 / quolac EX-UB / rewopol NLS 30 / richonol A / richonol AF / richonol C / SDS (= sodium dodecyl sulphate) / silfofon WA 1 special / silfofon WA 2 / sinnopon LS 100 / sinnopon LS 95 / sintapon L / sipex OP / sipex SB / sipex SD / sipex SP / sipex UB / sipon LS / sipon LS 100 / sipon LSB / sipon PD / sipon WD / SLS (= sodium lauryl sulfate) / sodium dodecyl sulphate / sodium lauryl sulfate / sodium lauryl sulfate, powder / sodium lauryl sulphate / sodium monododecyl sulfate / sodium monolauryl sulfate / sodium N-dodecyl sulfate / solsol needles / standapol 112 conc / standapol NLS 90 / standapol WA-AC / standapol WAQ / standapol WAQ special / standapol WAS100 / steinapol NLS 90 / stepanol ME / stepanol ME DRY / stepanol ME DRY AW / stepanol methyl / stepanol METHYL DRY AW / stepanol T28 / stepanol WA / stepanol WA paste / stepanol WA-100 / stepanol WAC / stepanol WAQ / sterling WA paste / sterling WAQ-CH / sterling waq-cosmetic / sulfetal L 95 / sulfotex WA3 / sulfotex WAL / sulfotex WA / sulfotex WALA / sulfuric acid	(CAS-No.) 151-21-3	< 15	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Skin Irrit. 2, H315 Eye Irrit. 2, H319
06/28/2019	monododecyl sodium salt / sulfuric acid, monododecyl ester, sodium salt / swascol 1P / swascol 3L / swascol 4L / syntapon L / syntapon L pasta / tarapon K12 / texapon DL conc / texapon K12 /			3/8

# SDS-PAGE Sample Loading Buffer [6X]

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of hazard classes and H-statements : see section 16

### SECTION 4: First-aid measures

#### 4.1. Description of first aid measures

- First-aid measures general : Check the vital functions. Unconscious: maintain adequate airway and respiration. Respiratory arrest: artificial respiration or oxygen. Cardiac arrest: perform resuscitation. Victim conscious with laboured breathing: half-seated. Victim in shock: on his back with legs slightly raised. Vomiting: prevent asphyxia/aspiration pneumonia. Prevent cooling by covering the victim (no warming up). Keep watching the victim. Give psychological aid. Keep the victim calm, avoid physical strain. Depending on the victim's condition: doctor/hospital.
- First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.
- First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention.
- First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
- First-aid measures after ingestion : Call a poison center/doctor/physician if you feel unwell.

#### 4.2. Most important symptoms and effects (acute and delayed)

- Symptoms/effects after inhalation : ON HEATING: Irritation of the respiratory tract. Irritation of the nasal mucous membranes.
- Symptoms/effects after skin contact : Irritation.
- Symptoms/effects after eye contact : Eye irritation.
- Symptoms/effects after ingestion : Nausea. Vomiting. Diarrhoea. AFTER INGESTION OF HIGH QUANTITIES: Headache. Dehydration. Disturbances of heart rate. Change in the haemogramme/blood composition. Decreased renal function.
- Chronic symptoms : No effects known.

#### 4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

### SECTION 5: Fire-fighting measures

#### 5.1. Suitable (and unsuitable) extinguishing media

- Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.
- Unsuitable extinguishing media : Container may slop over if solid jet (water/foam) is applied.

#### 5.2. Specific hazards arising from the chemical

- Fire hazard : DIRECT FIRE HAZARD: Combustible. INDIRECT FIRE HAZARD: Temperature above flashpoint: higher fire/explosion hazard. Reactions involving a fire hazard: see "Reactivity Hazard".
- Explosion hazard : INDIRECT EXPLOSION HAZARD: Reactions with explosion hazards: see "Reactivity Hazard".
- Reactivity in case of fire : May polymerize on exposure to temperature rise. Upon combustion: CO and CO<sub>2</sub> are formed. Reacts violently with (strong) oxidizers: (increased) risk of fire/explosion. Reacts with (some) acids: (increased) risk of fire/explosion.

#### 5.3. Special protective equipment and precautions for fire-fighters

- Precautionary measures fire : Exposure to fire/heat: keep upwind. Exposure to fire/heat: consider evacuation. Exposure to fire/heat: seal off low-lying areas. Exposure to fire/heat: have neighbourhood close doors and windows.
- Firefighting instructions : Cool tanks/drums with water spray/remove them into safety. Do not move the load if exposed to heat. Dilute toxic gases with water spray.
- Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

- Protective equipment : Gloves. Protective clothing.
- Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes.

##### 6.1.2. For emergency responders

- Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

# SDS-PAGE Sample Loading Buffer [6X]

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

For containment : Contain released product, pump into suitable containers. Consult "Material-handling" to select material of containers. Plug the leak, cut off the supply.

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

### 6.4. Reference to other sections

For further information refer to section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal protective equipment.

Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

Storage temperature : RT

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

<b>SDS-PAGE Sample Loading Buffer [6X]</b>
No additional information available
<b>sodium dodecyl sulphate (151-21-3)</b>
No additional information available

### 8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

### 8.3. Individual protection measures/Personal protective equipment

**Hand protection:**

Protective gloves

**Eye protection:**

Safety glasses

**Skin and body protection:**

Wear suitable protective clothing

**Respiratory protection:**

In case of insufficient ventilation, wear suitable respiratory equipment

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Color : Blue

Odor : Odourless

Odor threshold : No data available

pH : No data available

Melting point : Not applicable

Freezing point : No data available

# SDS-PAGE Sample Loading Buffer [6X]

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Not applicable.
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: No data available
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

May polymerize on exposure to temperature rise. Decomposes on exposure to temperature rise: release of toxic/corrosive/combustible gases/vapours (acrolein). Upon combustion: CO and CO<sub>2</sub> are formed. Reacts violently with (strong) oxidizers: (increased) risk of fire/explosion. Reacts with (some) acids: (increased) risk of fire/explosion.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

Hazardous decomposition products.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

sodium dodecyl sulphate (151-21-3)	
LD50 oral rat	1200 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Oral, 14 day(s))
LD50 dermal rat	< 2000 mg/kg (Rat; Literature study)
LD50 dermal rabbit	> 2000 mg/kg body weight (Equivalent or similar to OECD 402, 24 h, Rabbit, Male / female, Read-across, Dermal, 14 day(s))
ATE US (oral)	1200 mg/kg body weight
ATE US (dermal)	1100 mg/kg body weight

Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified

# SDS-PAGE Sample Loading Buffer [6X]

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Reproductive toxicity	: Not classified
Specific target organ toxicity – single exposure	: Not classified
Specific target organ toxicity – repeated exposure	: Not classified
Aspiration hazard	: Not classified
Viscosity, kinematic	: No data available
Symptoms/effects after inhalation	: ON HEATING: Irritation of the respiratory tract. Irritation of the nasal mucous membranes.
Symptoms/effects after skin contact	: Irritation.
Symptoms/effects after eye contact	: Eye irritation.
Symptoms/effects after ingestion	: Nausea. Vomiting. Diarrhoea. AFTER INGESTION OF HIGH QUANTITIES: Headache. Dehydration. Disturbances of heart rate. Change in the haemogramme/blood composition. Decreased renal function.
Chronic symptoms	: No effects known.

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

### 12.2. Persistence and degradability

#### sodium dodecyl sulphate (151-21-3)

Persistence and degradability	Readily biodegradable in water.
-------------------------------	---------------------------------

### 12.3. Bioaccumulative potential

#### sodium dodecyl sulphate (151-21-3)

BCF fish 1	3.9 - 5.3 (72 h, Cyprinus carpio)
BCF fish 2	7.15 (Pisces, Chronic)
Log Pow	<= -2.03 (Calculated, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 20 °C)
Bioaccumulative potential	Not bioaccumulative.

### 12.4. Mobility in soil

#### sodium dodecyl sulphate (151-21-3)

Surface tension	0.0252 N/m (23 °C, 1 g/l, EU Method A.5: Surface tension)
Log Koc	1.545 (log Koc, SRC PCKOCWIN v2.0, Experimental value)
Ecology - soil	Highly mobile in soil.

### 12.5. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Disposal methods

Waste treatment methods	: Waste treatment methods.
Product/Packaging disposal recommendations	: Recycle by distillation. Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber with energy recovery. Do not discharge into surface water.
Additional information	: LWCA (the Netherlands): KGA category 03.

## SECTION 14: Transport information

### Department of Transportation (DOT)

In accordance with DOT

Other information : No supplementary information available.



# SDS-PAGE Sample Loading Buffer [6X]

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### Transportation of Dangerous Goods

#### Transport by sea

Not regulated

#### Air transport

Not regulated

## SECTION 15: Regulatory information

### 15.1. US Federal regulations

#### sodium dodecyl sulphate (151-21-3)

Not listed on the United States TSCA (Toxic Substances Control Act) inventory

### 15.2. International regulations

#### CANADA

#### EU-Regulations

#### National regulations

No additional information available

### 15.3. US State regulations

## SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date : 05/11/2017

Full text of H-phrases:

H302	Harmful if swallowed
H312	Harmful in contact with skin
H315	Causes skin irritation
H319	Causes serious eye irritation

SDS US (GHS HazCom 2012)

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.*