



Safety Data Sheet

Cat. # DG092

SDS (Sodium dodecyl sulfate)

Size: 100g





sodium dodecyl sulphate

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 08/17/2015

Revision date: 05/11/2017

Version: 7.1

SECTION 1: Identification

1.1. Identification

Product form : Substance
Substance name : sodium dodecyl sulphate
Chemical name : SDS
CAS-No. : 151-21-3
Product code : 066S
Formula : C₁₂H₂₅NaO₄S
Synonyms : Al3-00356 / akyposal SDS / aquarex ME / aquarex methyl / avirol 101 / avirol 118 conc / berol 452 / carsonol SLS / carsonol SLS paste B / carsonol SLS special / casonol SLS pasta B / conco sulfate WA / conco sulfate WA1200 / conco sulfate WA-1200 / conco sulfate WA1245 / conco sulfate WA-1295 / conco sulfate WAG / conco sulfate WAN / conco sulfate WAS / conco sulfate WN / cycloryl 21 / cycloryl 31 / cycloryl 580 / cycloryl 585N / dehydag sulfate GL emulsion / dehydag sulphate GL emulsion / detergent 66 / dodecyl alcohol, hydrogen sulfate, sodium salt / dodecyl sodium sulfate / dodecyl sulfate sodium / dodecyl sulfate sodium salt / dodecylhydrogensulfate sodium salt / dreft / duponal / duponal WAQE / duponal / duponal C / duponal ME / duponal METHYL / duponal QX / duponal WA / duponal WA dry / duponal WAQ / duponal WAQA / duponal WAQE / duponal WAQM / EMAL 0 / EMAL 10 / emersal 6400 / empicol LPZ / empicol LS 30 / empicol LX / emulsifier n° 104 / finasol osr(sub 2) / gaedinel / hexamol SLS / incronol SLS / irium / jordanol SL-300 / lanette wax S / lauryl sodium sulfate / lauryl sulfate sodium / lauryl sulfate sodium salt / maprobix neu / maprofix 563 / maprofix LK / maprofix WAC / maprofix wac LA / melanol CL / melanol CL 30 / monododecyl sodium sulfate / monogen Y 100 / montopol la paste / n-dodecyl sulfate sodium / neutrazyme / nikkol SLS / odoripon AL 95 / orvus WA paste / P and G emulsifier 104 / perkankrol ESD 60 / perlandrol L / perkankrol L / product n° 161 / product n° 75 / quolac EX-UB / rewopol NLS 30 / richonol A / richonol AF / richonol C / SDS (= sodium dodecyl sulphate) / silfopon WA 1 special / silfopon WA 2 / sinnopon LS 100 / sinnopon LS 95 / sintapon L / sipex OP / sipex SB / sipex SD / sipex SP / sipex UB / sipon LS / sipon LS 100 / sipon LSB / sipon PD / sipon WD / SLS (= sodium lauryl sulfate) / sodium dodecyl sulphate / sodium lauryl sulfate / sodium lauryl sulfate, powder / sodium lauryl sulphate / sodium monododecyl sulfate / sodium monolauryl sulfate / sodium N-dodecyl sulfate / solsol needles / standapol 112 conc / standapol NLS 90 / standapol WA-AC / standapol WAQ / standapol WAQ special / standapol WAS100 / steinapol NLS 90 / stepanol ME / stepanol ME DRY / stepanol ME DRY AW / stepanol methyl / stepanol METHYL DRY AW / stepanol T28 / stepanol WA / stepanol WA paste / stepanol WA-100 / stepanol WAC / stepanol WAQ / sterling WA paste / sterling WAQ-CH / sterling waq-cosmetic / sulfetal L 95 / sulfopon WA3 / sulfopon WAL / sulfotex WA / sulfotex WALA / sulfuric acid monododecyl ester, sodium salt / sulfuric acid, monododecyl ester, sodium salt / swascol 1P / swascol 3L / swascol 4L / syntapon L / syntapon L pasta / tarapon K12 / texapon DL conc / texapon K12 / texapon K-1296 / texapon L100 / texapon V HC / texapon V HC powder / texapon Z high conc. needles / texapon ZHC / trepenol WA / TVM 474 / ultra sulfate SL-1 / WAQE (= sodium dodecyl sulfate) / witcolate A / witcolate A powder / witcolate C

BIG No : 13453

1.2. Recommended use and restrictions on use

Use of the substance/mixture : Surfactant

1.3. Supplier

Geno Technology, Inc./ G-Biosciences
9800 Page Avenue
Saint Louis, 63132-1429 - United States
T 800-628-7730 - F 314-991-1504
technical@GBiosciences.com - www.GBiosciences.com

1.4. Emergency telephone number

Emergency number : Chemtrec **1-800-424-9300** (USA/Canada), **+1-703-527-3887** (Intl)

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

Acute toxicity (oral) Category 4	H302 Harmful if swallowed
Acute toxicity (dermal) Category 4	H312 Harmful in contact with skin
Skin corrosion/irritation Category 2	H315 Causes skin irritation
Serious eye damage/eye irritation Category 2	H319 Causes serious eye irritation

sodium dodecyl sulphate

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H statements : see section 16

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US)

:



Signal word (GHS US)

: Warning

Hazard statements (GHS US)

: H302+H312 - Harmful if swallowed or in contact with skin
H315 - Causes skin irritation
H319 - Causes serious eye irritation

Precautionary statements (GHS US)

: P264 - Wash hands, forearms and face thoroughly after handling.
P270 - Do not eat, drink or smoke when using this product.
P280 - Wear protective gloves/protective clothing/eye protection/face protection.
P301+P312 - If swallowed: Call a poison center or doctor if you feel unwell
P302+P352 - If on skin: Wash with plenty of water
P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P312 - Call a poison center or doctor if you feel unwell
P321 - Specific treatment (see supplemental first aid instruction on this label)
P322 - Specific treatment (see supplemental first aid instruction on this label)
P330 - Rinse mouth.
P332+P313 - If skin irritation occurs: Get medical advice/attention.
P337+P313 - If eye irritation persists: Get medical advice/attention.
P362+P364 - Take off contaminated clothing and wash it before reuse.
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Substance type

: Mono-constituent

sodium dodecyl sulphate

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Common Name (Synonyms)	Product identifier	%	GHS US classification
------	------------------------	--------------------	---	-----------------------

sodium dodecyl sulphate

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Common Name (Synonyms)	Product identifier	%	GHS US classification
sodium dodecyl sulphate (Main constituent)	AI3-00356 / akyposal SDS / aquarex ME / aquarex methyl / aviro1 101 / aviro1 118 conc / berol 452 / carsonol SLS / carsonol SLS paste B / carsonol SLS special / casonol SLS pasta B / conco sulfate WA / conco sulfate WA1200 / conco sulfate WA-1200 / conco sulfate WA1245 / conco sulfate WA-1295 / conco sulfate WAG / conco sulfate WAN / conco sulfate WAS / conco sulfate WN / cycloryl 21 / cycloryl 31 / cycloryl 580 / cycloryl 585N / dehydag sulfate GL emulsion / dehydag sulphate GL emulsion / detergent 66 / dodecyl alcohol,hydrogen sulfate, sodium salt / dodecyl sodium sulfate / dodecyl sulfate sodium / dodecyl sulfate sodium salt / dodecylhydrogensulfate sodium salt / dreft / duponal / duponal WAQE / duponal / duponal C / duponal ME / duponal METHYL / duponal QX / duponal WA / duponal WA dry / duponal WAQ / duponal WAQA / duponal WAQE / duponal WAQM / EMAL 0 / EMAL 10 / emersal 6400 / empicol LPZ / empicol LS 30 / empicol LX / emulsifier n° 104 / finasol osr(sub 2) / gaedinol / hexamol SLS / incronol SLS / irium / jordanol SL-300 / lanette wax S / lauryl sodium sulfate / lauryl sulfate sodium / lauryl sulfate sodium salt / maprobix neu / maprofix 563 / maprofix LK / maprofix WAC / maprofix wac LA / melanol CL / melanol CL 30 / monododecyl sodium sulfate / monogen Y 100 / montopol la paste / n-dodecyl sulfate sodium / neutrazyme / nikkol SLS / odoripon AL 95 / orvus WA paste / P and G emulsifier 104 / perklinkrol ESD 60 / perlandrol L / perlankrol L / product n° 161 / product n° 75 / quolac EX-UB / rewopol NLS 30 / richonol A / richonol AF / richonol C / SDS (= sodium dodecyl sulphate) / silfofon WA 1 special / silfofon WA 2 / sinnopon LS 100 / sinnopon LS 95 / sintapon L / sipex OP / sipex SB / sipex SD / sipex SP / sipex UB / sipon LS / sipon LS 100 / sipon LSB / sipon PD / sipon WD / SLS (= sodium lauryl sulfate) / sodium dodecyl sulphate / sodium lauryl sulfate / sodium lauryl sulfate, powder / sodium lauryl sulphate / sodium monododecyl sulfate / sodium monolauryl sulfate / sodium N-dodecyl sulfate / solsol needles / standapol 112 conc / standapol NLS 90 / standapol WA-AC / standapol WAQ / standapol WAQ special / standapol WAS100 / steinapol NLS 90 / stepanol ME / stepanol ME DRY / stepanol ME DRY AW / stepanol methyl / stepanol METHYL DRY AW / stepanol T28 / stepanol WA / stepanol WA paste / stepanol WA-100 / stepanol WAC / stepanol WAQ / sterling WA paste / sterling WAQ-CH / sterling waq-cosmetic / sulfetal L 95 / sulfopon WA3 / sulfopon WAL / sulfotex WA / sulfotex WALA / sulfuric acid monododecyl ester, sodium salt / sulfuric acid, monododecyl ester, sodium salt / swascol 1P / swascol 3L / swascol	(CAS-No.) 151-21-3	100	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Skin Irrit. 2, H315 Eye Irrit. 2, H319
06/28/2019	4L / syntex English 13) / tarapon L pasta / tarapon K12 / texapon DL conc / texapon K12 / texapon K-1296 / texapon L100 / texapon V HC / texapon V HC powder / texapon Z high conc. needles / texapon ZHC /			4/11

sodium dodecyl sulphate

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of hazard classes and H-statements : see section 16

3.2. Mixtures

Not applicable

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures general	: Check the vital functions. Unconscious: maintain adequate airway and respiration. Respiratory arrest: artificial respiration or oxygen. Cardiac arrest: perform resuscitation. Victim conscious with laboured breathing: half-seated. Victim in shock: on his back with legs slightly raised. Vomiting: prevent asphyxia/aspiration pneumonia. Prevent cooling by covering the victim (no warming up). Keep watching the victim. Give psychological aid. Keep the victim calm, avoid physical strain. Depending on the victim's condition: doctor/hospital.
First-aid measures after inhalation	: Remove the victim into fresh air. Respiratory problems: consult a doctor/medical service.
First-aid measures after skin contact	: Wash immediately with lots of water. Soap may be used. Do not apply (chemical) neutralizing agents. Take victim to a doctor if irritation persists.
First-aid measures after eye contact	: Rinse immediately with plenty of water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Do not apply neutralizing agents. Take victim to an ophthalmologist.
First-aid measures after ingestion	: Rinse mouth with water. Call Poison Information Centre (www.big.be/antigif.htm). Consult a doctor/medical service if you feel unwell. Ingestion of large quantities: immediately to hospital.

4.2. Most important symptoms and effects (acute and delayed)

Potential Adverse human health effects and symptoms	: Harmful if swallowed. Causes skin irritation. Harmful if inhaled. May cause respiratory irritation. Causes serious eye damage.
Symptoms/effects after inhalation	: Irritation of the respiratory tract. Irritation of the nasal mucous membranes. Dry/sore throat. Headache.
Symptoms/effects after skin contact	: Red skin. Tingling/irritation of the skin. ON CONTINUOUS EXPOSURE/CONTACT: Dry skin. Cracking of the skin.
Symptoms/effects after eye contact	: Corrosion of the eye tissue.
Symptoms/effects after ingestion	: Nausea. Diarrhoea. Irritation of the gastric/intestinal mucosa.
Chronic symptoms	: ON CONTINUOUS/REPEATED EXPOSURE/CONTACT: Skin rash/inflammation.

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media	: Quick-acting ABC powder extinguisher. Class A foam extinguisher. Water (quick-acting extinguisher, reel). Water. Class A foam.
Unsuitable extinguishing media	: Quick-acting BC powder extinguisher. Quick-acting CO2 extinguisher.

5.2. Specific hazards arising from the chemical

Fire hazard	: DIRECT FIRE HAZARD: Flammable solid. In finely divided state: increased fire hazard. INDIRECT FIRE HAZARD: May be ignited by sparks.
Explosion hazard	: DIRECT EXPLOSION HAZARD: Fine dust is explosive with air. INDIRECT EXPLOSION HAZARD: Dust cloud can be ignited by a spark.

5.3. Special protective equipment and precautions for fire-fighters

Precautionary measures fire	: Exposure to fire/heat: keep upwind. Exposure to fire/heat: consider evacuation. Exposure to fire/heat: have neighbourhood close doors and windows.
Firefighting instructions	: Dilute toxic gases with water spray. Take account of environmentally hazardous firefighting water. Use water moderately and if possible collect or contain it.
Protection during firefighting	: Heat/fire exposure: compressed air/oxygen apparatus.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Protective equipment	: Gloves. Face-shield. Protective clothing. Dust cloud production: compressed air/oxygen apparatus. Dust cloud production: dust-tight suit.
Emergency procedures	: In case of hazardous reactions: keep upwind. Prevent dust cloud formation. No naked flames. Wash contaminated clothes.

sodium dodecyl sulphate

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Measures in case of dust release : In case of dust production: keep upwind. Dust production: have neighbourhood close doors and windows. In case of dust production: stop engines and no smoking. In case of dust production: no naked flames or sparks. Dust: spark-/explosionproof appliances/lighting equipment.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Prevent soil and water pollution. Prevent spreading in sewers.

6.3. Methods and material for containment and cleaning up

For containment : Contain released product, pump into suitable containers. Plug the leak, cut off the supply. Dam up the solid spill. Knock down/dilute dust cloud with water spray. Powdered form: no compressed air for pumping over spills.

Methods for cleaning up : Stop dust cloud by covering with sand/earth. Scoop solid spill into closing containers. Carefully collect the spill/leftovers. Powdered: do not use compressed air for pumping over spills. Clean contaminated surfaces with an excess of water. Take collected spill to manufacturer/competent authority. Wash clothing and equipment after handling.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Avoid raising dust. Keep away from naked flames/heat. In finely divided state: use spark-/explosionproof appliances. Finely divided: keep away from ignition sources/sparks. Carry operations in the open/under local exhaust/ventilation or with respiratory protection. Comply with the legal requirements. Remove contaminated clothing immediately. Clean contaminated clothing. Do not discharge the waste into the drain. Powdered form: no compressed air for pumping over. Keep container tightly closed.

Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

Storage temperature : ambient temperature

Heat-ignition : KEEP SUBSTANCE AWAY FROM: heat sources. ignition sources.

Information on mixed storage : KEEP SUBSTANCE AWAY FROM: oxidizing agents.

Storage area : Store in a dry area. Keep container in a well-ventilated place. Keep out of direct sunlight. Meet the legal requirements.

Special rules on packaging : SPECIAL REQUIREMENTS: closing. correctly labelled. meet the legal requirements. Secure fragile packagings in solid containers.

Packaging materials : SUITABLE MATERIAL: cardboard. glass. plastics.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

sodium dodecyl sulphate (151-21-3)

No additional information available

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Protective gloves against chemicals (EN374)

Eye protection:

Face shield. In case of dust production: protective goggles

sodium dodecyl sulphate

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Skin and body protection:

Protective clothing. In case of dust production: head/neck protection. In case of dust production: dustproof clothing

Respiratory protection:

Dust production: dust mask with filter type P2

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Solid
Appearance	: Solid.
Color	: White
Odor	: Mild odour Characteristic odour
Odor threshold	: No data available
pH	: 9.1 (1 %)
Melting point	: 205 °C
Freezing point	: Not applicable
Boiling point	: 216 °C (1022 hPa, OECD 103: Boiling Point)
Flash point	: 170 °C (EU Method A.9: Flash-Point)
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Non flammable.
Vapor pressure	: <= 0.0018 hPa (20 °C, OECD 104: Vapour Pressure)
Relative vapor density at 20 °C	: No data available
Relative density	: 0.63
Specific gravity / density	: > 1100 kg/m ³
Molecular mass	: 288.38 g/mol
Solubility	: Soluble in water. Water: > 13 g/100ml (20 °C, soluble, OECD 105: Water Solubility)
Log Pow	: <= -2.03 (Calculated, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 20 °C)
Auto-ignition temperature	: 310.5 °C
Decomposition temperature	: > 216 °C
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: Not applicable
Explosive properties	: No data available
Oxidizing properties	: No data available

9.2. Other information

VOC content : 0 %

SECTION 10: Stability and reactivity

10.1. Reactivity

Reacts with (strong) oxidizers: (increased) risk of fire.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Hazardous decomposition products.

sodium dodecyl sulphate

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Harmful if swallowed.
Acute toxicity (dermal) : Harmful in contact with skin.
Acute toxicity (inhalation) : Not classified

sodium dodecyl sulphate (151-21-3)	
LD50 oral rat	1200 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Oral, 14 day(s))
LD50 dermal rat	< 2000 mg/kg (Rat; Literature study)
LD50 dermal rabbit	> 2000 mg/kg body weight (Equivalent or similar to OECD 402, 24 h, Rabbit, Male / female, Read-across, Dermal, 14 day(s))
ATE US (oral)	1200 mg/kg body weight
ATE US (dermal)	1100 mg/kg body weight

Skin corrosion/irritation : Causes skin irritation.
pH: 9.1 (1 %)

Serious eye damage/irritation : Causes serious eye irritation.
pH: 9.1 (1 %)

Respiratory or skin sensitization : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Reproductive toxicity : Not classified

Specific target organ toxicity – single exposure : Not classified

Specific target organ toxicity – repeated exposure : Not classified

Aspiration hazard : Not classified

Viscosity, kinematic : No data available

Potential Adverse human health effects and symptoms : Harmful if swallowed. Causes skin irritation. Harmful if inhaled. May cause respiratory irritation. Causes serious eye damage.

Symptoms/effects after inhalation : Irritation of the respiratory tract. Irritation of the nasal mucous membranes. Dry/sore throat. Headache.

Symptoms/effects after skin contact : Red skin. Tingling/irritation of the skin. ON CONTINUOUS EXPOSURE/CONTACT: Dry skin. Cracking of the skin.

Symptoms/effects after eye contact : Corrosion of the eye tissue.

Symptoms/effects after ingestion : Nausea. Diarrhoea. Irritation of the gastric/intestinal mucosa.

Chronic symptoms : ON CONTINUOUS/REPEATED EXPOSURE/CONTACT: Skin rash/inflammation.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

Ecology - air : Not included in the list of fluorinated greenhouse gases (Regulation (EU) No 517/2014). Not classified as dangerous for the ozone layer (Regulation (EC) No 1005/2009).

Ecology - water : Toxic to crustacea. Toxic to fishes. Inhibition of activated sludge. Slightly harmful to algae.

12.2. Persistence and degradability

sodium dodecyl sulphate (151-21-3)	
Persistence and degradability	Readily biodegradable in water.

12.3. Bioaccumulative potential

sodium dodecyl sulphate (151-21-3)	
BCF fish 1	3.9 - 5.3 (72 h, Cyprinus carpio)
BCF fish 2	7.15 (Pisces, Chronic)
Log Pow	<= -2.03 (Calculated, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 20 °C)

sodium dodecyl sulphate

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

sodium dodecyl sulphate (151-21-3)	
Bioaccumulative potential	Not bioaccumulative.

12.4. Mobility in soil

sodium dodecyl sulphate (151-21-3)	
Surface tension	0.0252 N/m (23 °C, 1 g/l, EU Method A.5: Surface tension)
Log Koc	1.545 (log Koc, SRC PCKOCWIN v2.0, Experimental value)
Ecology - soil	Highly mobile in soil.

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods	: Waste treatment methods.
Product/Packaging disposal recommendations	: Remove waste in accordance with local and/or national regulations. Hazardous waste shall not be mixed together with other waste. Different types of hazardous waste shall not be mixed together if this may entail a risk of pollution or create problems for the further management of the waste. Hazardous waste shall be managed responsibly. All entities that store, transport or handle hazardous waste shall take the necessary measures to prevent risks of pollution or damage to people or animals. Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber with energy recovery. Dissolve or mix with a combustible solvent.
Additional information	: Hazardous waste according to Directive 2008/98/EC, as amended by Regulation (EU) No 1357/2014 and Regulation (EU) No 2017/997.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Transport document description	: UN1325 Flammable solids, organic, n.o.s., 4.1, III
UN-No.(DOT)	: UN1325
Proper Shipping Name (DOT)	: Flammable solids, organic, n.o.s.
Class (DOT)	: 4.1 - Class 4.1 - Flammable Solid 49 CFR 173.124
Packing group (DOT)	: III - Minor Danger
Hazard labels (DOT)	: 4.1 - Flammable solid



DOT Packaging Non Bulk (49 CFR 173.xxx)	: 213
DOT Packaging Bulk (49 CFR 173.xxx)	: 240
DOT Symbols	: G - Identifies PSN requiring a technical name

sodium dodecyl sulphate

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Special Provisions (49 CFR 172.102)	: A1 - Single packaging are not permitted on passenger aircraft. IB8 - Authorized IBCs: Metal (11A, 11B, 11N, 21A, 21B, 21N, 31A, 31B and 31N); Rigid plastics (11H1, 11H2, 21H1, 21H2, 31H1 and 31H2); Composite (11HZ1, 11HZ2, 21HZ1, 21HZ2, 31HZ1 and 31HZ2); Fiberboard (11G); Wooden (11C, 11D and 11F); Flexible (13H1, 13H2, 13H3, 13H4, 13H5, 13L1, 13L2, 13L3, 13L4, 13M1 or 13M2). IP3 - Flexible IBCs must be sift-proof and water-resistant or must be fitted with a sift-proof and water-resistant liner. T1 - 1.5 178.274(d)(2) Normal..... 178.275(d)(2) TP33 - The portable tank instruction assigned for this substance applies for granular and powdered solids and for solids which are filled and discharged at temperatures above their melting point which are cooled and transported as a solid mass. Solid substances transported or offered for transport above their melting point are authorized for transportation in portable tanks conforming to the provisions of portable tank instruction T4 for solid substances of packing group III or T7 for solid substances of packing group II, unless a tank with more stringent requirements for minimum shell thickness, maximum allowable working pressure, pressure-relief devices or bottom outlets are assigned in which case the more stringent tank instruction and special provisions shall apply. Filling limits must be in accordance with portable tank special provision TP3. Solids meeting the definition of an elevated temperature material must be transported in accordance with the applicable requirements of this subchapter.
DOT Packaging Exceptions (49 CFR 173.xxx)	: 151
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 25 kg
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 100 kg
DOT Vessel Stowage Location	: B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this section is exceeded.
Other information	: No supplementary information available.

Transportation of Dangerous Goods

Transport by sea

Transport document description (IMDG)	: UN 1325 flammable solid, organic, n.o.s., 4.1, III
UN-No. (IMDG)	: 1325
Proper Shipping Name (IMDG)	: flammable solid, organic, n.o.s.
Class (IMDG)	: 4.1 - Flammable solids, self-reactive substances and solid desensitized explosives
Packing group (IMDG)	: III - substances presenting low danger
EmS-No. (1)	: F-A
EmS-No. (2)	: S-G

Air transport

Transport document description (IATA)	: UN 1325 Flammable solid, organic, n.o.s., 4.1, III
UN-No. (IATA)	: 1325
Proper Shipping Name (IATA)	: Flammable solid, organic, n.o.s.
Class (IATA)	: 4.1 - Flammable solids
Packing group (IATA)	: III - Minor Danger

SECTION 15: Regulatory information

15.1. US Federal regulations

sodium dodecyl sulphate (151-21-3)

Not listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. International regulations

CANADA

sodium dodecyl sulphate

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

EU-Regulations

National regulations

No additional information available

15.3. US State regulations

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date : 05/11/2017

Full text of H-phrases:

H302	Harmful if swallowed
H312	Harmful in contact with skin
H315	Causes skin irritation
H319	Causes serious eye irritation

NFPA health hazard


: 3 - Materials that, under emergency conditions, can cause serious or permanent injury.

NFPA fire hazard

: 2 - Materials that must be moderately heated or exposed to relatively high ambient temperatures before ignition can occur.

NFPA reactivity

: 1 - Materials that in themselves are normally stable but can become unstable at elevated temperatures and pressures.



SDS US (GHS HazCom 2012)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.